

## Detector Tubes DRÄGER ACCURO PUMP



- \* : secondary use
- ✘ : not suitable for nitrous oxide
- ✓ : SEI Certified tube
- ❖ : not for respirator fit testing

## Dräger Accuro Pump

Caution: Interchanging brands of pumps and tubes may produce a significant reduction in accuracy and is not recommended.

Secondary use (\*): For secondary use specifications and operating instructions, contact SKC technical support at [skctech@skcinc.com](mailto:skctech@skcinc.com) or visit the Draeger Voice hazardous substances chemical database at <http://www.draeger.com/voice/>

Measuring Range: Measuring ranges of detector tubes may be influenced by volume, or number of strokes. Measuring ranges listed here may indicate the minimum and maximum ranges of the detector tube. For further information see the operating instructions for the tube or visit the Draeger Voice hazardous substances chemical database at <http://www.draeger.com/voice/>

## CHEMICAL HAZARD

	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
Acetaldehyde	75-07-0	100 - 1,000	10	800-26665
Acetic acid	64-19-7	5 - 80	10	800-22101
Acetic acid	64-19-7	1.3 - 25	10	800-01071
Acetic acid butyl ester *	123-86-4	200 - 3,000	10	800-20201
Acetic acid 1,1-dimethylethyl ester *	540-88-5	50 - 300	10	800-26665
Acetic acid ethyl ester	141-78-6	200 - 3,000	10	800-20201
Acetic acid 3-methyl butyl ester *	123-92-2	200 - 1,000	10	800-20201
Acetic acid methyl ester *	79-20-9	200 - 3,000	10	800-20201
Acetic acid 1-methylethyl ester *	108-21-4	200 - 3,000	10	800-20201
Acetic acid pentyl ester *	628-63-7	200 - 1,000	10	800-20201
Acetic acid propyl ester *	109-60-4	200 - 3,000	10	800-20201
Acetic anhydride *	108-24-7	Qualitative	10	800-22701
Acetone (Only 1 stroke)	67-64-1	40 - 800	5	800-03381
Acetone	67-64-1	100 - 12,000	10	800-22901
Acetylene *	74-86-2	100 - 2,500	10	800-30201
Acid test		Qualitative	10	800-01121
Acrolein *	107-02-8	0.1 - 10	5	800-28451

**CHEMICAL HAZARD**

CHEMICAL HAZARD	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
Acrylonitrile	107-13-1	0.5 - 20	5	800-28591
Air current (Smoke Tube) ❖		NA	10	800-25301
Alcohol		25 - 5,000	10	800-01631
Alcohol		100 - 3,000	10	800-29701
Aliphatic hydrocarbons (Boiling Range 50-200 C)		3-23 mg/L	10	800-25401
Amine test		Qualitative	10	800-01061
Aminoethane *	75-04-7	5 - 60	10	800-18401
2-Aminoethanol *	141-43-5	0.5 - 6	10	800-01711
2-Aminopropane *	75-31-0	2 - 30	10	800-28931
Ammonia	7664-41-7	0.25 - 3	10	800-01711
Ammonia	7664-41-7	2 - 30	10	800-33231
Ammonia	7664-41-7	5 - 100	10	800-01941
Ammonia ✓	7664-41-7	5 - 700	10	800-20501
Ammonia	7664-41-7	0.05 - 10 Vol %	10	800-31901
n-Amyl acetate *	628-63-7	200 - 1,000	10	800-20201
Aniline	62-53-3	1 - 20	10	800-20401
Aniline	62-53-3	0.5 - 10	10	800-33171
Antimony hydride *	7803-52-3	0.05 - 3	10	800-25001
Arsine	7784-42-1	0.05 - 60	10	800-25001
Benzene	71-43-2	0.5 - 10	10	800-28561
Benzene	71-43-2	15 - 420	10	800-01741
Benzene	71-43-2	5 - 50	10	800-28071
Benzene	71-43-2	2 - 60	5	800-01231
Benzene (specific to Benzene)	71-43-2	0.5 - 10	5	800-01841
Benzyl chloride *	100-44-7	0.2 - 8	10	800-01551
Bromine *	7726-95-6	0.2 - 3	10	800-24301
Bromoethane *	74-96-4	20 - 200	10	800-27301
Bromotrifluoromethane *	75-63-8	Qualitative	8	800-01601
1,3-Butadiene *	106-99-0	0.7 - 8.5	10	800-18901

**CHEMICAL HAZARD**

CHEMICAL HAZARD	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
n-Butane	106-97-8	0.1 - 0.8 Vol%	10	800-26101
n-Butanol *	71-36-3	100 - 5,000	10	800-01631
2-Butanone (MEK) *	78-93-3	100 - 12,000	10	800-22901
1-Butene *	106-98-9	0.04 - 1.3 Vol%	10	800-31201
1-Butyl acetate *	123-86-4	200 - 3,000	10	800-20201
n-Butyl acetate *	123-86-4	200 - 3,000	10	800-20201
sec-Butyl acetate *	105-46-4	100 - 1,000	10	800-26665
tert-Butyl acetate *	540-88-5	50 - 300	10	800-26665
n-Butyl alcohol *	71-36-3	100 - 5,000	10	800-01631
n-Butylamine *	109-73-9	2 - 30	10	800-28931
Carbon dioxide	124-38-9	1 - 20 Vol %	10	800-25101
Carbon dioxide	124-38-9	0.5 - 10 Vol %	10	800-31401
Carbon dioxide	124-38-9	5 - 60 Vol %	10	800-20301
Carbon dioxide	124-38-9	0.01 - 0.3 Vol %	10	800-01811
Carbon dioxide	124-38-9	0.1 - 6 Vol %	10	800-23501
Carbon disulfide	75-15-0	0.6 to 60 mg/L	10	800-23201
Carbon disulfide	75-15-0	3 - 95	10	800-01891
Carbon monoxide ✓	630-08-0	5 - 700	10	800-25601
Carbon monoxide	630-08-0	2 - 300	10	800-33051
Carbon monoxide	630-08-0	0.3 - 7 Vol %	10	800-29901
Carbon monoxide	630-08-0	10 - 3,000	10	800-20601
Carbon monoxide in hydrogen		8 - 150	10	800-19701
Carbon pre-tube			1	800-24101
Carbon tetrachloride	56-23-5	5 - 50	10	800-27401
Carbon tetrachloride	56-23-5	0.2 - 70	10	800-01791
Carbon tetrachloride	56-23-5	1 - 15	5	800-01021
Carbonyl chloride	75-44-5	0.02 - 1	10	800-01521
Carbonyl chloride	75-44-5	0.25 - 15	10	800-28301
Chlorine	7782-50-5	0.3 - 10	10	800-28411

**Detector Tubes**  
 DRÄGER ACCURO PUMP

**CHEMICAL HAZARD**

CHEMICAL HAZARD	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
Chlorine	7782-50-5	0.2 - 30	10	800-24301
Chlorine	7782-50-5	50 - 500	10	800-20701
Chlorobenzene	108-90-7	5 - 200	5	800-28761
2-Chloro-1,3-butadiene	126-99-8	5 - 60	10	800-18901
Chlorodifluoromethane *	75-45-6	200 - 2,800	8	800-01601
1-Chloro-2,3-Epoxypropane	106-89-8	5 - 50	10	800-28111
Chloroform	67-66-3	2 - 10	5	800-28861
Chloroformates		0.2 - 10	10	800-18601
Chloropicrin	76-06-2	0.1 - 2	10	800-03421
Chloroprene	126-99-8	5 - 60	10	800-18901
Chromic acid	1333-82-0	0.1 - 0.5 mg/m <sup>3</sup>	9	800-28681
Chromic anhydride (acid, solution)	1333-82-0	0.1 - 0.5 mg/m <sup>3</sup>	9	800-28681
o-Crestol *	95-48-7	Qualitative	10	800-01641
p-Cresol *	106-44-5	Qualitative	10	800-01641
m-Cresol *	108-39-4	0.8 - 16	10	800-01641
Cumene *	98-92-8	50 - 400	10	800-01701
Cyanide	57-12-5	2 - 15 mg/m <sup>3</sup>	10	800-28791
Cyanogen chloride	506-77-4	0.25 - 5	10	800-19801
Cyclohexane	110-82-7	100 - 1,500	10	800-25201
Cyclohexylamine	108-91-8	2 - 30	10	800-28931
DDVP (Dichlorovos) *	62-73-7	Qualitative	10	800-28461
Demeton *	8065-48-3	Qualitative	10	800-25803
1,2-Diaminoethane < *	107-15-3	0.5 - 12	10	800-01711
1,2-Dibromoethane *	106-93-4	5 - 50	10	800-27301
p-Dichlorobenzene *	106-46-7	Qualitative	10	800-28761
o-Dichlorobenzene *	95-50-1	Qualitative	10	800-28761
1, 4-Dichlorobenzene *	106-46-7	Qualitative	10	800-28761
1, 2-Dichlorobenzene *	95-50-1	Qualitative	10	800-28761
1, 2-Dichloro ethane *	107-06-2	10 - 50	10	800-01551

## Detector Tubes

DRÄGER ACCURO PUMP

### CHEMICAL HAZARD

CHEMICAL HAZARD	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
1,2-Dichloroethane *	107-06-2	100 - 300	10	800-27301
Dichloromethane	75-09-2	100 - 2,000	10	800-24601
1,2-Dichloropropane *	78-87-5	50 - 100	10	800-27301
1,2-Dichloropropane *	78-87-5	50 - 100	10	800-27301
1,2-Dichloro-1,1,2,2-tetrafluoroethane *	76-14-2	200 - 2,800	8	800-01601
Dichlorotetrafluoroethane *	76-14-2	200 - 2,800	8	800-01601
Dichlorovos *	62-73-7	0.05	10	800-28461
Diethyl ether	60-29-7	100 - 4,000	10	800-30501
Diethylamine *	109-98-7	5 - 60	10	800-18401
Diethylene dioxide *	123-91-1	13 - 175	10	800-26801
Difluorochloromethane *	75-45-6	200 - 2,800	8	800-01601
2,4-Diisocyanato-1-methyl-benzene	584-84-9	0.02 - 0.2	9	800-24501
Diisopropyl ether *	108-20-3	100 - 4,000	10	800-30501
N, N-Dimethyl acetamide *	127-19-5	100 - 400	10	800-18501
Dimethyl acetamide *	127-19-5	100 - 400	10	800-18501
Dimethylamine (anhydrous) *	124-40-3	5 - 60	10	800-18401
1,2-Dimethylbenzene	95-49-6	10 - 400	10	800-33161
Dimethyl formamide	68-12-2	10 - 40	10	800-18501
N, N-Dimethyl formamide	68-12-2	10 - 40	10	800-18501
Dimethyl sulfate	77-78-1	0.005 - 0.05	9	800-18701
Dimethyl sulfide	75-18-3	1 - 15	5	800-28451
Dioxane *	123-91-1	13 - 175	10	800-26801
1,4-Dioxan *	123-91-1	13 - 175	10	800-26801
Epichlorohydrin	106-89-8	5 - 50	10	800-28111
1,2-Ethenediol	107-21-1	10 - 180 mg/m <sup>3</sup>	5	800-01351
Ethanethiol *	75-08-1	2 - 1000	10	800-01871
Ethanethiol *	75-08-1	0.5 - 20	10	800-28981
Ethanol *	64-17-5	25 - 2,000	10	800-01631
Ethanol *	64-17-5	100 - 3,000	10	800-29701

**CHEMICAL HAZARD**

CHEMICAL HAZARD	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
Ethanolamine *	141-43-5	0.5 - 6	10	800-01711
Ether *	60-29-7	100 - 4,000	10	800-30501
2-Ethoxyethanol *	110-80-5	Qualitative	10	800-26801
2-Ethoxy ethanol acetate	111-15-9	50 - 700	10	800-26801
2-Ethoxy ethanol acetate *	111-15-9	50 - 700	10	800-26801
Ethyl acetate	141-78-6	200 - 3,000	10	800-20201
Ethyl acrylate *	140-88-5	5 - 300	10	800-28161
Ethyl alcohol *	64-17-5	100 - 3,000	10	800-29701
Ethyl alcohol *	64-17-5	25 - 2000	10	800-01631
Ethylamine *	75-04-7	5 - 60	10	800-18401
Ethyl benzene	100-41-4	30 - 600	10	800-28381
Ethyl bromide *	74-96-4	20 - 200	10	800-27301
Ethylene	74-85-1	0.2 - 5	5	800-01331
Ethylene	74-85-1	50 - 2,500	10	800-28051
Ethylene bromide *	106-93-4	5 - 50	10	800-27301
Ethylene chloride *	107-06-2	100 - 300	10	800-27301
Ethylene chloride *	107-06-2	10 - 50	10	800-01551
Ethylene diamine *	107-15-3	0.5 - 12	10	800-01711
Ethylene dibromide *	106-93-4	5 - 50	10	800-27301
Ethylene dichloride *	107-06-2	100 - 300	10	800-27301
Ethylene glycol	107-21-1	10 - 180 mg/m <sup>3</sup>	5	800-01351
Ethylene glycol monoethyl ether *	110-80-5	Qualitative	10	800-26801
Ethylene glycol monoethyl ether acetate *	111-15-9	50 - 700	10	800-26801
Ethylene glycol monomethyl ether *	109-86-4	Qualitative	10	800-26801
Ethylene glycol monomethyl ether acetate *	110-49-6	Qualitative	10	800-26801
Ethylene oxide	75-21-8	25 - 500	10	800-28241
Ethylene oxide	75-21-8	0.2 - 30	5	800-28961
Ethyl ether *	60-29-7	100 - 4,000	10	800-30501
Ethyl glycol acetate	111-15-9	50 - 700	10	800-26801

## Detector Tubes

DRÄGER ACCURO PUMP

### CHEMICAL HAZARD

CHEMICAL HAZARD	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
Ethyl mercaptan *	75-08-1	0.5 - 20	10	800-28981
Ethyl mercaptan *	75-08-1	2 - 1,000	10	800-01871
Ethyl Propenoate *	140-88-5	5 - 300	10	800-28161
Fluoric acid (anhydrous)	7664-39-3	1.5 - 15	10	800-30301
Fluoric acid	7664-39-3	0.5 - 90	10	800-03251
Fluorine	7782-41-4	0.1 - 2	10	800-01491
Fluorotrichloromethane *	75-69-4	100 - 1,400	8	800-01601
Formaldehyde	50-00-0	0.2 - 5	10	800-01751
Formaldehyde	50-00-0	0.1 - 5	10	800-33081
Formaldehyde activation tube			10	800-01141
Formic acid	64-18-6	1 - 15	10	800-22701
Halogenated Hydrocarbons		200 - 2800	8	800-01601
Heptane *	142-82-5	200 - 1000	10	800-28391
n-Hexane	110-54-3	100 - 3,000	10	800-28391
Hexone (MIBK) *	108-10-1	0.013 - 1.56 Vol%	10	800-22901
Hydrazine (anhydrous)	302-01-2	0.01 - 6	10	800-03351
Hydrazine (anhydrous)	302-01-2	0.25 - 10	10	800-31801
Hydrocarbon 2		3-23 mg/L	10	800-25401
Hydrocarbons: Butane		0.1- 0.8 Vol%	10	800-26101
Hydrocarbons: Propane		0.5-1.3 Vol%	10	800-26101
Hydrocarbons, Halogenated		200 - 2800	8	800-01601
Hydrocarbons, petroleum (as n-Octane)		10 - 300	10	800-01691
Hydrocarbons, petroleum (as n-Octane)		10 - 2,500	10	800-30201
Hydrochloric acid	764-01-0	1 - 10	10	800-29501
Hydrochloric acid	764-01-0	50 - 5,000	10	800-28181
Hydrochloric acid	764-01-0	HCl: 1 - 10	10	800-01681
Nitric acid	7697-37-2	HNO <sub>3</sub> : 1 - 15	10	800-01681
Hydrocyanic acid ✓	74-90-8	0.25 -150	10	800-25701
Hydrofluoric acid	7664-39-3	0.5 - 90	10	800-03251

**CHEMICAL HAZARD**

CHEMICAL HAZARD	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
Hydrofluoric acid (anhydrous)	7664-39-3	1.5 - 15	10	800-30301
Hydrogen	133-74-0	0.2 - 2 Vol %	10	800-01511
Hydrogen chloride (anhydrous) *	7647-01-0	0.1 - 100	10	800-29501
Hydrogen chloride (anhydrous) *	7647-01-0	50 - 5,000	10	800-28181
Hydrogen cyanide (anhydrous) * ✓	74-90-8	0.25 -150	10	800-25701
Hydrogen fluoride (anhydrous)	7664-39-3	1.5 - 15	10	800-30301
Hydrogen fluoride	7664-39-3	0.5 - 90	10	800-03251
Hydrogen peroxide	7722-84-1	0.1 - 3	10	800-01041
Hydrogen sulfide	7783-06-4	100 - 2,000	10	800-29101
Hydrogen sulfide ✓	7783-06-4	1 - 200	10	800-01831
Hydrogen sulfide	7783-06-4	2 - 40 Vol %	10	800-01211
Hydrogen sulfide	7783-06-4	0.2 - 5	10	800-01461
Hydrogen sulfide	7783-06-4	0.2 - 6	10	800-01991
Hydrogen sulfide	7783-06-4	0.05 - 150	10	800-28041
Hydrogen sulfide	7783-06-4	2 - 200	10	800-28821
Hydrogen sulfide	7783-06-4	5 - 600	10	800-29801
Hydrogen sulfide	7783-06-4	1 - 60	10	800-01961
Hydrogen sulfide	7783-06-4	0.2 - 7 Vol %	10	800-28101
Hydrogen sulfide	7783-06-4	0.02 - 7 Vol %	10	800-28201
Sulfur dioxide	7446-09-5	0.02 - 7 Vol %	10	800-28201
Isoamyl acetate *	123-92-2	200 - 1,000	10	800-20201
Isopentyl acetate *	123-92-2	200 - 1,000	10	800-20201
Isopropal alcohol *	67-63-0	100 - 3,000	10	800-29701
Isopropal alcohol *	67-63-0	50 - 4,000	10	800-01631
Isopropanol *	67-63-0	50 - 4,000	10	800-01631
Isopropanol *	67-63-0	100 - 3,000	10	800-29701
Isopropyl acetate *	108-21-4	200 - 3,000	10	800-20201
Isopropyl alcohol *	67-63-0	100 - 3,000	10	800-29701
Isopropyl alcohol *	67-63-0	50 - 4,000	10	800-01631



**CHEMICAL HAZARD**

CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.	
Isopropylamine *	75-31-0	2 - 30	10	800-28931
Isopropylbenzene (Cumene) *	98-82-8	50 - 400	10	800-01701
Isopropyl ether *	108-20-3	100 - 4,000	10	800-30501
Mercaptan		0.5 - 5	10	800-28981
Mercaptan		20 - 100	10	800-01871
Mercaptan		0.1 - 25	10	800-03281
Mercury vapor	7439-97-6	0.1 - 2 mg/m <sup>3</sup>	10	800-23101
Methane	74-82-8	Qualitative	5	800-20001
Methanethiol *	74-93-1	2 - 1,000	10	800-01871
Methanethiol *	74-93-1	0.5 - 20	10	800-28981
Methanol	67-56-1	100 - 3,000	10	800-29701
Methanol	67-56-1	25 - 5,000	10	800-01631
2-Methoxyethanol *	109-86-4	Qualitative	10	800-26801
2-Methoxyethyl acetate *	110-49-6	Qualitative	10	800-26801
Methyl isobutyl ketone *	108-10-1	0.013 - 1.56 Vol%	10	800-22901
Methyl acetate *	79-20-9	200 - 3,000	10	800-20201
Methyl acrylate	96-33-3	5 - 200	10	800-28161
Methyl alcohol	67-56-1	25 - 5,000	10	800-01631
Methyl alcohol	67-56-1	100 - 3,000	10	800-29701
Methylamine (anhydrous) *	74-89-5	5 - 60	10	800-18401
Methyl bromide	74-83-9	0.5 - 30	10	800-01671
Methyl bromide	74-83-9	5 - 50	10	800-27301
Methyl bromide	74-83-9	3 - 100	5	800-28211
3-Methyl-1-butanol acetate *	123-92-2	200 - 1,000	10	800-20201
Methyl chloroform *	71-55-6	10 - 600	5	800-21101
Methylene chloride	75-09-2	100 - 2,000	10	800-24601
Methylene dichloride	75-09-2	100 - 2,000	10	800-24601
1-Methylethylbenzene *	98-92-8	50 - 400	10	800-01701
Methyl ethyl ketone *	78-93-3	100 - 12,000	10	800-22901

**CHEMICAL HAZARD**

	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
Methyl isobutyl ketone *	108-10-1	0.013 - 1.56 Vol%	10	800-22901
Methyl mercaptan *	74-93-1	20 - 1,000	10	800-01871
Methyl mercaptan *	74-93-1	0.5 - 5	10	800-28981
4-Methyl-2-pentanone *	108-10-1	0.013 - 1.56 Vol%	10	800-22901
Methyl propyl ketone *	107-87-9	130 - 15,600	10	800-22901
Monobromoethane *	74-96-4	20 - 200	10	800-27301
Monoethylamine *	75-04-7	5 - 60	10	800-18401
Monostyrene	100-42-5	50 - 400	10	800-27601
Monostyrene	100-42-5	10 - 200	10	800-23301
Monostyrene	100-42-5	10 - 250	10	800-33141
Natural gas	74-82-8	Qualitative	5	800-20001
Nickel carbonyl	13463-39-3	0.1 - 1	9	800-19501
Nickel tetracarbonyl	13463-39-3	0.1 - 1	9	800-19501
Nitric acid, fuming	7697-37-2	1 - 50	10	800-28311
Nitrochloroform	76-06-2	0.1 - 2	10	800-03421
Nitrogen dioxide	10102-44-0	2 - 100	10	800-19101
Nitrogen dioxide ✓	10102-44-0	0.5 - 25	10	800-30001
Nitrogen dioxide	10102-44-0	1.3 - 25	5	800-01111
Nitrotrichloromethane	76-06-2	0.1 - 2	10	800-03421
Nitrous fumes ✘		20 - 500	10	800-24001
Nitrous fumes ✘		100 - 5,000	10	800-27701
Nitrous fumes ✘		50 - 2,000	10	800-01921
Nitrous fumes ✘		0.50- 10	10	800-29401
Nitrous fumes ✘		2 - 100	10	800-31001
n-Octane *	11-65-9	10 - 2,500	10	800-30201
n-Octane *	11-65-9	10 - 300	10	800-01691
Oil mist		0.3 - 5 mg/m <sup>3</sup>	10	800-28371
Oil mist		1 - 10 mg/m <sup>3</sup>	10	800-33031
Olefins: Propylene		0.06 to 3.2 Vol %	10	800-31201

**CHEMICAL HAZARD**

CHEMICAL HAZARD	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
Olefins: Butylene		0.04 to 2.4 Vol %	10	800-31201
Organic arsenic compounds and arsine		Qualitative	10	800-26303
Organic basic nitrogen compounds		Qualitative	10	800-25903
2,2'-Oxybis-propane *	108-20-3	100 - 4,000	10	800-30501
Oxygen	7782-44-7	5 - 23 Vol %	10	800-03261
Ozone	10028-15-6	20 - 300	10	800-21001
Ozone	10028-15-6	0.05 - 1.4	10	800-33181
n-Pentane	109-66-0	100 - 1,500	10	800-24701
2-Pentanone *	107-87-9	130 - 15,600	10	800-22901
1-Pentyl acetate *	628-63-7	200 - 1,000	10	800-20201
Pentyl acetate *	628-63-7	200 - 1,000	10	800-20201
Perchloroethylene	127-18-4	0.1 - 4	10	800-01551
Perchloroethylene	127-18-4	2 - 300	10	800-01501
Perchloroethylene	127-18-4	10 - 500	10	800-30701
Petroleum hydrocarbons		10 - 300	10	800-01691
Petroleum hydrocarbons		100 - 2,500	10	800-30201
Phenol	108-95-2	1- 20	10	800-01641
Phosgene	77-44-5	0.02 - 1	10	800-01521
Phosgene	77-44-5	0.25 - 15	10	800-28301
Phosphine	7803-51-2	0.1 - 4	10	800-31101
Phosphine	7803-51-2	25 - 10,000	10	800-01621
Phosphine	7803-51-2	0.01 - 1.0	10	800-01611
Phosphine	7803-51-2	50 - 1,000	10	800-21201
Phosphoric acid esters		0.05	10	800-28461
Polytest (screening tube)		Qualitative	10	800-28401
Propane	74-96-8	0.5 - 1.3 Vol%	10	800-26101
2-Propanol *	67-63-0	100 - 3,000	10	800-29701
2-Propanol *	67-63-0	50 - 4,000	10	800-01631
2-Propenal *	107-02-8	0.1 - 10	5	800-28451

**CHEMICAL HAZARD**

	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
2-Propenoic acid ethyl ester *	140-88-5	5 - 300	10	800-28161
n-Propyl acetate *	109-60-4	200 - 3,000	10	800-20201
Propylene dichloride *	78-87-5	50 - 100	10	800-27301
Propylene imine (inhibited) *	75-55-8	0.25 - 3	10	800-01711
Pyridine	110-86-1	5	10	800-28651
Smoke tube ❖			10	800-25301
Stibine *	7803-52-3	0.05 - 3	10	800-25001
Styrene	100-42-5	50 - 400	10	800-27601
Styrene	100-42-5	10 - 250	10	800-33141
Styrene	100-42-5	10 - 200	10	800-23301
Sulfur dioxide	7446-09-5	50 - 8,000	10	800-01531
Sulfur dioxide	7446-09-5	0.1 - 3	10	800-27101
Sulfur dioxide	7446-09-5	0.5 - 25	10	800-28491
Sulfur dioxide	7446-09-5	1 - 25	10	800-31701
Sulfur dioxide	7446-09-5	20 - 2,000	10	800-24201
Sulfuric acid	7664-93-9	1 - 5 mg/m <sup>3</sup>	9	800-28781
Sulfuryl fluoride	2699-79-8	10	5	800-03361
Systox *	8065-48-3	Qualitative	10	800-25803
Tetracarbonyl nickel	13463-39-3	0.1 - 1	9	800-19501
Tetrachloroethylene	127-18-4	0.1 - 4	10	800-01551
Tetrachloroethylene	127-18-4	2 - 300	10	800-01501
Tetrachloroethylene	127-18-4	10 - 500	10	800-30701
Tetrachloromethane *	56-23-5	0.2 - 70	10	800-01791
Tetrachloromethane *	56-23-5	1 - 15	5	800-01021
Tetrachloromethane *	56-23-5	5 - 50	10	800-27401
Tetrahydrofuran *	109-99-9	50 - 400	10	800-29701
Tetrahydrothiophene	110-01-0	1 - 10	5	800-01341
Thioether		Qualitative	10	800-25803
Toluene	108-88-3	50 - 400	10	800-01701

**Detector Tubes**  
DRÄGER ACCURO PUMP

**CHEMICAL HAZARD**

CHEMICAL HAZARD	CAS No.	Measuring Range (ppm)	No. of Test	Cat. No.
Toluene	108-88-3	100 - 1,800	10	800-01731
Toluene	108-88-3	5 - 300	10	800-01661
Toluene diisocyanate	584-84-9	0.02 - 0.2	9	800-24501
2,4-Toluene diisocyanate	584-84-9	0.02 - 0.2	9	800-24501
1,1,1-Trichloroethane	71-55-6	50 - 600	5	800-21101
Trichloroethane	71-55-6	50 - 600	5	800-21101
Trichloroethylene	79-01-6	2 - 250	10	800-28541
Trichloroethylene	79-01-6	50 - 500	10	800-24401
Trichlorofluoromethane *	75-69-4	100 - 1,400	8	800-01601
Trichloromethane	67-66-3	2 -10	5	800-28861
Trichloronitromethane	76-06-2	0.1 - 2	10	800-03421
Triethylamine	121-44-8	5 - 60	10	800-18401
Trifluorobromomethane *	75-63-8	Qualitative	8	800-01601
Vinyl benzene	100-42-5	10 - 250	10	800-33141
Vinyl benzene	100-42-5	50 - 400	10	800-27601
Vinyl benzene	100-42-5	10 - 200	10	800-23301
Vinyl chloride	75-01-4	0.5 - 30	10	800-01721
Vinyl chloride	75-01-4	100 - 3,000	10	800-19601
Vinyl chloride	75-01-4	1 - 50	10	800-28031
Water vapor	7732-18-5	0.05 - 1 mg/L	10	800-01321
Water vapor	7732-18-5	1 - 40 mg/L	10	800-01781
Water vapor	7732-18-5	3 - 60 lbs/mmcf	10	800-03031
o-Xylene	95-49-6	10 - 400	10	800-33161
Zinc chromate *	13530-65-9	0.2 - 1 mg/m3	9	800-28681